

Page 1/8

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024

Version 177 (replaces version 176)

. SECTION 1: Identification of the substance/mixture and of the company/undertaking

- ∘ 1.1 Product identifier
- ∘ Trade name: Cedernholzöl Texas / 01-3950
- ∘ Article number: S0100279
- Registration number

_ _

01-2120753603-56-0009

- ∘ 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Flavour/Fragrance
- ∘ 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Frey & Lau GmbH

Immenhacken 12, D-24558 Henstedt-Ulzburg

Tel:++49-4193-9953 Fax: +49-4193-9955-80

Further information obtainable from:

Sachkundige Person Frey + Lau

info@froules com

info@freylau.com

1.4 Emergency telephone number: ++49-40-54.77.99.56 WAKO

. SECTION 2: Hazards identification

- ∘ 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- 2.2 Label elements
- Hazard pictograms



GHS09

- Signal word Void
- Hazard statements

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

EUH208 Contains (R^*, R^*) -alpha, 4-Dimethyl-alpha-(4-methyl-3-pentyl)cyclohex-3-en-1-methanol, alpha-Pinene, beta-Caryophyllene. May produce an allergic reaction.

- 2.3 Other hazards
- ∘ Results of PBT and vPvB assessment
- ⋄ PBT: Not applicable.
- ⋄ vPvB: Not applicable.

. SECTION 3: Composition/information on ingredients

- ∘ 3.1 Substances
- ◇ CAS No. Description

Ungefährlich

- ∘ 3.2 Mixtures
- ∘ CAS-No: 91722-61-1
- ∘ EINECS-No: 294-461-7
- Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Revision: 22.09.2023



Page 2/8

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024 Version 177 (replaces version 176) Revision: 22.09.2023

Trade name: Cedernholzöl Texas / 01-3950

(Contd. of page 1) Dangerous components: CAS: 77-53-2 Cedrol >25-50% EINECS: 201-035-6 Aquatic Chronic 2, H411 CAS: 469-61-4 Cedren >5-<10% EINECS: 207-418-4 Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Skin Irrit. 2, H315 CAS: 546-28-1 Cedren ≥1-<2.5% EINECS: 208-898-8 Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Skin Irrit. 2, H315; Eye Irrit. 2, CAS: 515-69-5 (R*, R*)-alpha, 4-Dimethyl-alpha-(4-methyl-3-pentyl)cyclohex-3-en-1-methanol ≥0.25-<1% EINECS: 208-205-9 Aquatic Chronic 2. H411: Skin Sens. 1. H317 CAS: 80-56-8 alpha-Pinene ≥0.1-<0.25% EINECS: 201-291-9 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1B, H317 substance with a Community workplace exposure limit CAS: 87-44-5 ≥0.1-<1% beta-Caryophyllene EINECS: 201-746-1 Asp. Tox. 1, H304; Skin Sens. 1B, H317

. SECTION 4: First aid measures

- ⋄ 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- ⋄ After eye contact: Rinse opened eye for several minutes under running water.

Additional information: For the wording of the listed hazard phrases refer to section 16.

- After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- ◆4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

. SECTION 5: Firefighting measures

- ∘ 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, sand, extinguishing powder. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- ∘ Protective equipment: No special measures required.

. SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- ∘ 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

◦ 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Treat with 2 % sodium hydroxide solution.

∘ 6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 3)



Page 3/8

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024 Version 177 (replaces version 176) Revision: 22.09.2023

Trade name: Cedernholzöl Texas / 01-3950

(Contd. of page 2)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

. SECTION 7: Handling and storage

⋄ 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. No special precautions are necessary if used correctly.

- Information about fire and explosion protection: No special measures required.
- ∘ 7.2 Conditions for safe storage, including any incompatibilities
- ⋄ Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- ∘ Storage class: 10
- ∘ 7.3 Specific end use(s) No further relevant information available.

. SECTION 8: Exposure controls/personal protection

- ⋄ 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

80-56-8 alpha-Pinene

MAK Short-term value: 224 mg/m³, 40 ppm Long-term value: 112 mg/m³, 20 ppm

HS;

- · Additional information: The lists valid during the making were used as basis.
- ∘ 8.2 Exposure controls
- ∘ Appropriate engineering controls No further data; see section 7.
- ∘ Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

∘ Material of gloves Multichemical-resistant gloves, Category III acc. to Regulation (EC) 2016/425

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Goggles recommended during refilling

. SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

⋄ General Information

∘ Physical state ∘ Colour:

Odour:

Odour.

○ Odour threshold:

Melting point/freezing point:

∘ Flammability

⋄ Lower and upper explosion limit

⋄Lower:

◊ Upper:

∘ Flash point:

Decomposition temperature:

Fluid Yellow

Characteristic

Not determined.

Undetermined.

Not applicable.

Not determined.

Not determined.

>100 °C

Not determined.

(Contd. on page 4)



Page 4/8

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024 Version 177 (replaces version 176) Revision: 22.09.2023

Trade name: Cedernholzöl Texas / 01-3950

∘ pH Mixture is non-polar/aprotic.

∘ Solubilitv

⋄ water: Not miscible or difficult to mix. ∘ Partition coefficient n-octanol/water (log value) Not determined.

Density and/or relative density

∘ Density at 20 °C: 0.968 g/cm3 Relative density Not determined. Vapour density Not determined.

9.2 Other information

Appearance:

Fluid ⋄ Form·

 Important information on protection of health and environment, and on safety.

Ignition temperature:

Not determined. Not determined. ⋄ Explosive properties:

⋄ Solvent separation test:

0.05 % ⋄ VOC (EC)

 Evaporation rate Not determined.

Information with regard to physical hazard classes

⋄ Explosives Void ∘ Flammable gases Void ⋄ Aerosols Void Oxidising gases Void Void Gases under pressure Flammable liquids Void ⋄ Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void

∘ Pvrophoric solids Void Self-heating substances and mixtures Void

Substances and mixtures, which emit flammable gases in

Void contact with water Void Oxidising liquids Oxidising solids Void Organic peroxides Void ⋄ Corrosive to metals Void Desensitised explosives Void

. SECTION 10: Stability and reactivity

- ∘ 10.1 Reactivity No further relevant information available.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

. SECTION 11: Toxicological information

- ∘ 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 5)

(Contd. of page 3)



Page 5/8

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024 Version 177 (replaces version 176) Revision: 22.09.2023

Trade name: Cedernholzöl Texas / 01-3950

(Contd. of page 4)

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- ∘ STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- ∘ Aspiration hazard Based on available data, the classification criteria are not met.
- ∘ 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

. SECTION 12: Ecological information

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- ∘ 12.4 Mobility in soil No further relevant information available.
- ∘ 12.5 Results of PBT and vPvB assessment
- ∘ PBT: Not applicable.
- ⋄ vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

. SECTION 13: Disposal considerations

- · Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

. SECTION 14: Transport information

⋄ ADR, IMDG, IATA

⋄ 14.2 UN proper shipping name

⋄ ADR

◊ IMDG

⋄ 14.3 Transport hazard class(es)

⋄ ADR

⋄ Class Label

UN3082

UMWELTGEFÄHRDENDER STOFF, FLÜSSIG, N.A.G. (Cedrol, Cedren) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cedrol, Cedren), MARINE POLLUTANT

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(containing Cedrol, Cedren)

9 (M6) Miscellaneous dangerous substances and articles.

(Contd. on page 6)



Page 6/8

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024 Version 177 (replaces version 176) Revision: 22.09.2023

Symbol (fish and tree)

Symbol (fish and tree)

Symbol (fish and tree)

Trade name: Cedernholzöl Texas / 01-3950

(Contd. of page 5)

∘ IMDG, IATA

○ Class

◊ Label

∘ 14.4 Packing group

⋄ADR, IMDG, IATA

◊ 14.5 Environmental hazards:

⋄ Marine pollutant:

∘ Special marking (ADR): ⋄ Special marking (IATA):

⋄ 14.6 Special precautions for user Hazard identification number (Kemler code):

⋄ EMS Number: Stowage Category

instruments

◦ 14.7 Maritime transport in bulk according to IMO

Not applicable.

Transport/Additional information:

⋄ Limited quantities (LQ) ⋄ Excepted quantities (EQ)

(-)

Ш

Yes

Code: E1

F-A,S-F

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

9 Miscellaneous dangerous substances and articles.

Warning: Miscellaneous dangerous substances and articles.

Transport category

⋄ Tunnel restriction code

◊ IMDG

⋄ Excepted quantities (EQ) 5L Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

○ UN "Model Regulation":

UN 3082 UMWELTGEFÄHRDENDER STOFF, FLÜSSIG, N.A.G. (CEDROL,

CEDREN), 9, III

. SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

822.115, Jugendarbeitsschutzverordnung - ArGV 5 und 822.115.2, Verordnung des WBF über gefährliche Arbeiten für Jugendliche sind nicht zutreffend.

ArGV 1 und 822.111.52, Verordnung des WBF über gefährliche und beschwerliche Arbeiten bei Schwangerschaft und Mutterschaft sind nicht zutreffend.

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS09

Signal word Void

Hazard statements

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

○ Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E2 Hazardous to the Aquatic Environment

(Contd. on page 7)



Page 7/8

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024 Version 177 (replaces version 176) Revision: 22.09.2023

Trade name: Cedernholzöl Texas / 01-3950

(Contd. of page 6)

- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- ∘ REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- ⋄DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

∘ Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- National regulations:
- · Waterhazard class: Klasse A (Self-assessment)
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

. SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

- Department issuing SDS: Regulatory Affairs
- Contact: Dr. Maja Zippel
- Version number of previous version: 176
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation -Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

Asp. Tox. 1: Aspiration hazard – Category

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

(Contd. on page 8)



Page 8/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.09.2024

Version 177 (replaces version 176)

Trade name: Cedernholzöl Texas / 01-3950

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

* Data compared to the previous version altered.

(Contd. of page 7)

Revision: 22.09.2023